Product data sheet

Specifications





APC NetShelter SX, Server Rack Enclosure, 45U, Black, 2124H x 600W x 1200D mm

AR3305

Overview

Presentation	An industry-standard server rack ready for medium to high-density environments with traditional network closet 2&4 post rack height and 3U extra space. A deeper rack design provides enough rack mounting space for even the deepest devices and still plenty of room for vertically mounting Rack PDUs and cable management.
Lead Time	Usually in Stock

Main

Product Or Component Type	Rack enclosure
Number Of Rack Unit	45U
Provided Equipment	Baying hardware Key(s) Keyed-alike doors and side panels Leveling feet Mounting Hardware Pre-installed casters Side Panels

Physical

Height	83.62 in (212.4 cm)
Width	23.62 in (60 cm)
Depth	47.24 in (120 cm)
Net Weight	310.85 lb(US) (141 kg)
Color	Black
Mounting Preference	No preference
Mounting Mode	Not rack-mountable
Maximum Mounting Depth	41.26 in (104.8 cm)
Minimum Mounting Depth	7.50 in (19.05 cm)
Rack Width	19"
Marking	14 gauge EIA mounting rail 16 gauge front door 16 gauge post 18 gauge rear door 18 gauge roof 18 gauge side panels
Permanent Permissible Load	2250 lb(US) (1020.58 kg) dynamic 3750 lb(US) (1700.97 kg) static

Conformance



Standards UL 2416

UL 60950-1 EIA-310E

Ordering and shipping details

Category	11309-APC RESALE PRODUCTS
Discount Schedule	APC1
Gtin	731304290216
Returnability	No
Country Of Origin	TH

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	88.19 in (224 cm)
Package 1 Width	52.52 in (133.4 cm)
Package 1 Length	29.37 in (74.6 cm)
Package 1 Weight	349.21 lb(US) (158.4 kg)

Contractual warranty

Warranty 5 year repair or replace



Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO2 products.

Learn more about Green Premium >





Take-back RoHS/REACh

Resource performance

Take-Back Program Available

Well-being performance

Reach Free Of Svhc

Toxic Heavy Metal Free

Mercury Free

Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation REACh Declaration Eu Rohs Directive Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration