



APC Replacement Battery Cartridge, VRLA battery, 10Ah, 48VDC, 2-year warranty

RBC43

Overview

Lead time Usually in Stock

Main

Product or Component Type	Replacement battery cartridge	
Number of cables	1	
Battery Type	Lead-Acid battery	
Provided Equipment	All required connectors Battery recycling guide Metallic battery tray or enclosure Reusable packaging Installation guide	

Batteries & Runtime

Battery Slots Empty	0	
Included Battery Modules	0	
Device mounting	Enclosed battery cartridge	
Battery Voltage	48V	
RBC Quantity	1	

Physical

Height	3.0 in (7.6 cm)	
Width	8.5 in (21.6 cm)	
Depth	21.0 in (53.3 cm)	
Net Weight	42.09 lb(US) (19.09 kg)	
Mounting Mode	Not rack-mountable	
USB compatible	No	

Environmental

Ambient Air Temperature for Operation	32104 °F (040 °C)	
Operating altitude	010000 ft	
Relative Humidity	095 %	
Ambient Air Temperature for Storage	5113 °F (-1545 °C)	
Storage altitude	050000 ft (0.000000000015240.0000000000 m)	
Storage Relative Humidity	095 %	

Ordering and shipping details

Category	11309-APC RESALE PRODUCTS	
Discount Schedule	APC1	
GTIN	731304218463	
Returnability	No	
Country of origin	CN	

Packing Units

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	9.016 in (22.900 cm)	
Package 1 Width	30.236 in (76.800 cm)	
Package 1 Length	15.512 in (39.400 cm)	
Package 1 Weight	45.085 lb(US) (20.450 kg)	
Unit Type of Package 2	P12	
Number of Units in Package 2	12	
Package 2 Height	31.496 in (80.000 cm)	
Package 2 Width	31.496 in (80.000 cm)	
Package 2 Length	47.244 in (120.000 cm)	
Package 2 Weight	566.941 lb(US) (257.160 kg)	

Contractual warranty

Warranty 2 years repair or replace.



Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO2 products.

Learn more about Green Premium >







Take-back Transparency RoHS/REACh

Resource performance



Take-Back Program Available

Well-being performance



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
	Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information
California Proposition 65	"WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov"

Sep 19, 2024

Image of product / Alternate images

Alternative

