


Product datasheet

Specifications



Parallel Maintenance Bypass Panel for 2 UPSs, 60-120kW 400V wallmount for Galaxy VS & Easy UPS 3S/3M

GVSBP60K120H

Overview

Presentation	Maintenance bypass panel for complete isolation of two UPSs in parallel during service operations.
Lead time	Usually Ships within 2 Weeks

Main

Product or component type	Panel
Range of product	Galaxy VS
Range compatibility	Galaxy VS

Physical

Height	100 cm
Width	90 cm
Depth	28 cm
Net weight	110 kg

Environmental

Ambient air temperature for operation	0...40 °C
Ambient air temperature for storage	-25...55 °C

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	50 cm
Package 1 Width	100 cm
Package 1 Length	1200 cm
Package 1 Weight	120 kg

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Energy Efficient Take-back Transparency RoHS/REACH

Resource performance

Energy Efficient Product

Take-Back Program Available

Well-being performance

Mercury Free

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant with Exemptions

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile [End of Life Information](#)

Image of product / Alternate images

Alternative

